

When Things Go Wrong – Error handling in SQL Server

Erland Sommarskog
Data Platform MVP



A photograph of a dirt path winding through a forest of tall pine trees. The path is covered in dry leaves and grass. On the left side of the path, there is a white post with an orange light fixture. The background is filled with dense green foliage and tree trunks.

Erland Sommarskog

Independent consultant based in Stockholm

SQL Server MVP since 2001

<http://www.sommarskog.se>

esquel@sommarskog.se



THANKS to all Sponsors!

EVENT SPONSORS



EXPO SPONSORS



EXPO LIGHT SPONSORS





Meet me at the **Community Zone**

After this session, you can speak with me in the **Community Zone**

WE MIGHT

- Discuss additional questions
- Review parts of my session in more detail
- Network
- ~~Take selfies...~~ 😊

Agenda

Focus: How to handle unexpected errors.

- What action does SQL Server take in case of error?
- SET XACT_ABORT ON.
- TRY-CATCH.
- How to write CATCH blocks.
- Client-Side Error Handling.
- How to handle nested procedures and transactions.
- A quick look at natively compiled stored procedures.

What Actions Can SQL Server

Internal SQL
Server Errors

[PlainTest.sql](#)
Default (when XACT_ABORT OFF)

Many user
errors willy-nilly

1. Close the connection
2. Abort the batch and roll back transaction
3. Abort the batch without rolling back.
4. Abort the scope and continue in caller.
5. Roll back statement and continue on next

errors at run-
time

Many user
errors willy-nilly

What Actions Can SQL Server Take?

SET XACT_ABORT ON changes this:

1. Close the connection.
2. Abort the batch and roll back transaction.
- ~~3. Abort the batch without rolling back transaction.~~
- ~~4. Abort the scope and continue in next scope.~~
- ~~5. Roll back statement and continue on next statement.~~
6. Ignores XACT_ABORT ON.

RAISERROR,
Error 266,
syntax errors.

Attention Signals

Tells SQL Server to abandon execution.

Occurs with the client-side error "Timeout expired".

Also generated by the red button in SSMS.

Statement is always rolled back.

Transaction rolled back **only** if XACT_ABORT is **on**.

Recommendation

Always have this statement on top of your stored procedures:

`SET XACT_ABORT, NOCOUNT ON`

More consistent error behaviour.

Reduces the risk for orphaned transactions.

Takeaway So Far

You cannot rely on that you will be able to continue execution on error.

You cannot rely on that execution will be aborted.

Therefore:

- Keep it simple.
- Use TRY-CATCH.

TRY-CATCH

Error in TRY block transfers execution to CATCH block.

[TryCatch.sql](#)

Transaction may be *doomed* – must be rolled back.

Errors that roll back transaction => Dooming errors.

Perfectly reasonable for deadlock, resource errors.
Less so for conversion errors.

Transaction always doomed with XACT_ABORT ON.

Not All Errors Are Catchable

Internal errors that close the connection.

Compilation errors in the scope they occur – can be caught in outer scope.

Various odd errors cannot be caught, more common with linked servers or CLR.

Attention signals.

CATCH Block Recipe

Important principle: Since this is code that is in **every** procedure it should be short and non-intrusive. Two lines, that's all:

1. Roll back any open transaction.
2. Re-raise the error.

Roll Back Open Transactions

```
IF @@trancount > 0 ROLLBACK TRANSACTION
```

Always have this line.

You may not have a BEGIN TRANSACTION today – but that could change tomorrow or two years later.

You may call a procedure which begins a transaction but fails to commit/roll back.

What about caller's transaction? We'll talk about that later.

Re-raising the Error

Custom procedure

- Only choice on SQL 2005/2008.
- Want to log error or other custom behaviour.
- Avoids the semicolon trap.

;THROW

- Simple. :-)
- All error messages are preserved as-is.
- Makes sure that execution is aborted.

Client-side Error Handling

All calls to SQL Server must be error-checked and in case of error, the client must always submit

```
IF @@trancount > 0 ROLLBACK TRANSACTION
```

(Or rollback through its own transaction object.)

Don't rely on the SQL code having XACT_ABORT ON. Each component should do its job.

Make sure you get all result sets!

"Nested" Transactions

BEGIN TRANSACTION

Transaction starts.

BEGIN TRANSACTION

Increments @@trancount.

COMMIT TRANSACTION

Commits nothing,
decrements @@trancount.

COMMIT TRANSACTION

@@trancount = 0 =>
Transaction commits.

ROLLBACK TRANSACTION

Rolls back it all.

Nested Procedures

What if outer procedure starts a transaction...

...and calls an inner procedure that also starts a transaction?

Should CATCH handler of inner really roll back it all?

Ideally, no.

In practice YES, because:

- There is no better way in SQL Server.
- The inner procedure has failed to fulfil its contract.

Savepoints to the Rescue?

```
BEGIN TRANSACTION MyTran  
-- First part  
SAVE TRANSACTION MySave  
-- Second part  
ROLLBACK TRANSACTION MySave
```

This rolls back only Second Part, but transaction is alive and First Part can still be committed.

Useful?

Savepoints are Useless

- Cannot roll back to savepoint when transaction is doomed.
- Always doomed with `XACT_ABORT ON`.
- And even with `OFF`, rollback is only possible for some errors.
- Not supported in distributed transactions.
- Not supported with mem-optimised tables.

Natively Compiled Procedures

```
CREATE PROCEDURE hekaton_sp  
WITH NATIVE_COMPILATION, SCHEMABINDING AS  
BEGIN ATOMIC WITH  
    (TRANSACTION ISOLATION LEVEL=SNAPSHOT,  
     LANGUAGE='us_english')  
    -- SQL code here.  
END
```


Natively Compiled Procedures, cont'd

Procedure == Transaction.

Only need TRY-CATCH for anticipated errors.

BEGIN/COMMIT/ROLLBACK TRAN not permitted.

A nested SP call defines an implicit savepoint.

An uncaught error aborts the procedure and rolls back to the savepoint.

Transactions only doomed for a reason – concurrency and resource errors. XACT_ABORT has no effect.

In short: how error handling should be!

Summary – Aims and Means

Always communicate unexpected errors – don't lure users to think they see correct data.

- Re-raise the error!
- Get all result sets!

Always abort execution on unexpected errors – don't persist incorrect data.

- SET XACT_ABORT ON
- IF @@trancount > 0 ROLLBACK TRANSACTION
- Re-raise the error!

Summary – Aims and Means

Prevent orphaned transactions.

- SET XACT_ABORT ON
- IF @@trancount > 0 ROLLBACK TRANSACTION
- Also in client code!!

Don't lose the original error message – without it troubleshooting is very difficult.

- Keep things simple.
- Watch out for the semicolon trap!

That's All Folks!

Erland Sommarskog
esquel@sommarskog.se

Slides and scripts on
<http://www.sommarskog.se/present>

Three parts and three appendixes? Start here:
http://www.sommarskog.se/error_handling/Part1.html

Please evaluate all sessions!

QR / LINK on posters and in program



NORDIC SQL Nexus **2 MAY**
BI Platform Architecture, Development & Administration

| | | |
|---------------|--|--|
| 11.00 - 12.00 | What is new and exciting with Microsoft BI Track Keynote™ by Kasper de Jonge <small>LEVEL: 300</small> | |
| 13.00 - 14.00 | PowerShell ♥ SSIS by Joost Van Rossum <small>LEVEL: 400</small> | |
| 14.15 - 15.15 | Automating your development process with Biml by Martin Andersson <small>LEVEL: 300</small> | |
| 15.45 - 16.45 | Pipeline for the new oil: Azure Data Factory, Hybrid Data Movement by Jean-Pierre Riehl <small>LEVEL: 200</small> | |
| 17.00 - 18.00 | Agile BI from the cloud with Team Foundation Services by Sander Hoeff <small>LEVEL: 100</small> | |

SQL Nexus 2017 Event Sponsors

PROGRAM
TRANSFORMATION - PLATFORM

NORDIC SQL Nexus

Data and Analytics, the foundation for Digital Transformation

SQL NEXUS 2017, 2 - 3 MAY IN COPENHAGEN

